

CavityTherm[®]

Built-in Full Fill Wall Insulation

CT/PIR

Thin-R Hockey Stick Insulation

The Hockey Stick insulation shall be Xtratherm Thin-R ___mm thick, manufactured to EN 13165 by Xtratherm, comprising a rigid Polyisocyanurate (PIR) core between low emissivity foil facings, with a Agrément declared Lambda value of 0.022 W/mK, creating a preformed panel for insulated Service Void for cables in ___mm cavity. To be installed in accordance with instructions issued by Xtratherm. Refer to NBS clause.

Insulation

Polyisocyanurate Rigid Foam

Standard

BS EN 13165

Certification

BS EN ISO 9001 Quality Management System
BS EN ISO 14001 Environmental Management System
BS OHSAS 18001 Health and Safety Management System

Manufacturer**Xtratherm UK Limited**

Holmewood Industrial Park, Holmewood
Chesterfield, Derbyshire, S42 5UY

T + 44 (0) 371 222 1033

F + 44 (0) 371 222 1044

info@xtratherm.comwww.xtratherm.com**Xtratherm Limited**

Liscarton Industrial Estate, Kells Road,
Navan, Co.Meath, Ireland, C15NP79

T +353 (0)46 906 6000

F +353 (0)46 906 6090

info@xtratherm.iewww.xtratherm.ie**Product reference**

Xtratherm Thin-R Hockey Stick
Insulation.